



**Re: Pineview Estates- sampling parameters**   
**Aaron Setran** to: David Wallis

11/03/2009 08:44 AM

 Aaron Setran *For Influent and Effluent: BOD, TSS, Nitrogen (Ammonia, N2, N3, TKN)*

For Influent and Effluent: BOD, TSS, Nitrogen (Ammonia, N2, N3, TKN?)  
For GW Monitoring Wells: Nitrogen and fecal coliform bacteria

Aaron Carr Setran  
U.S. EPA, Water Division  
75 Hawthorne St.  
San Francisco, CA 94105  
(415) 972-3457

"David Wallis" ---11/03/2009 07:43:43 AM---Aaron,

From: "David Wallis" <DWallis@rcac.org>  
To: Aaron Setran/R9/USEPA/US@EPA  
Date: 11/03/2009 07:43 AM  
Subject: Pineview Estates- sampling parameters

Aaron,

Do you have a list of analysis parameters and locations that you would like to have sampled ?

I have not seen a discharge permit

I'll come up with a suggested frequency and duration as we discussed

If you would like me to put the suggested locations and analysis together, let me know

Take Care, Dave

David C. Wallis  
Environmental Specialist -Circuit Rider  
(559) 337-0360  
 , Cell  
FAX 559-337-0360

[dwallis@rcac.org](mailto:dwallis@rcac.org)

This message contains information which is confidential and privileged. Unless you are the addressee (or authorized to receive for the addressee), you may not use, copy or disclose the message or any information contained in or attached to the message to anyone. If you have received this message in error, please advise the sender by reply e-mail and please delete the message.